(Qm)

Application No. Applicant(s) 10/706,430 WEILER, ALLAN P Notice of Allowability Examiner **Art Unit** Ryan Gleitz -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 2. The allowed claim(s) is/are 1-20. 3. The drawings filed on 1/23/04 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🗌 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _ (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5. Notice of Informal Patent Application (PTO-152) 1. X Notice of References Cited (PTO-892) 6. Interview Summary (PTO-413), 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Paper No./Mail Date 7. Examiner's Amendment/Comment 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance Other _____. of Biological Material

Application/Control Number: 10/706,430

Art Unit: 2852

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steven Quinley on 7 April 2005.

The application has been amended as follows:

In claim 10, line 10, replace "member" with --pad--.

REASONS FOR ALLOWANCE

Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1-9 are considered patentable because of the inclusion of the claim limitations, attaching at least one pad to a bottom surface of the spool cover, that is not taught by or suggested by the prior art of record.

Claims 10-19 are considered patentable because of the inclusion of the claim limitations, at least one pad disposed between a bottom surface of the spool cover and the seal sensing contacts, that is not taught by or suggested by the prior art of record.

Claim 20 is considered patentable because of the inclusion of the claim limitations, a bottom surface of the spool cover engages the at least one pad to force the seal sensing contacts to come in contact with the electrical trace, that is not taught by or suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Noda et al. (JP 09-274381) disclose a toner cartridge with a seal removing spool and spool cover.

Nagashima et al. (US 6,178,302) disclose a toner cartridge with a seal removing spool, an electrical trace, and seal sensing contacts.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan Gleitz whose telephone number is (571) 272-2134. The examiner can normally be reached on Monday-Friday between 9:00AM and 6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur Grimley can be reached on (571) 272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2852

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

rg

ARTHUR T. GRIMLEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800